



COLONIATM
LUXURY VINYL TILE COLLECTION

you're at home

居家的感觉

Colonia经过精心设计, 可确保您有宾至如归的感觉。我们进行了广泛的设计、趋势和性能研究, 以确保我们提供一系列美观、理想和实用的地板覆盖物。本手册非常适合各种各样的室内设计, 包含了许多创意和创造性的摄影, 可激发各种风格和品味。可登录polyflorathome.com找到更多的灵感。


Colonia的构成, 可承受人们忙碌生活方式对地板带来的不利影响。每块板条和块材都采用了保护性聚氨酯强化处理, 以确保任何不可避免的溢出物和碎屑都可以轻松擦拭或清除。此外, 还可提供Colonia色调的免费产品样品, 详情见第78页。

YOUR FLOORING GUIDE

地板指南


为了尽可能轻松地选择新地板, 每张Colonia图片都有一个设计参考代码, 便于识别, 并有1-3星评级。这些评级的制定, 旨在向您表明每种设计的复杂性以及所需的预切割水平。

无论您是想添加细节和亮点, 混合搭配多种色调, 还是想用定制设计地板打破界限, Colonia豪华乙烯基块材都是理想的选择!! 本手册中展示的地板设计, 只是对您所能实现目标的简要说明。如果您有自己独特的概念, 那么地板供应商将能够提供进一步的建议。




STANDARD 标准

(no cutting 不切割)



STRAIGHT 直铺


(basic cutting 基本切割)



BESPOKE 定制

(complex cutting 复杂切割)





WOOD 木材

06

Presenting a carefully balanced palette of classic and contemporary timber designs.

呈现经典和现代木材设计, 并经精心平衡的调色板。



STONE 石材

38

Combining beauty and practicality with a choice of stunning man-made and natural designs.

将美观和实用性与令人惊艳的人造和自然设计相结合。




CREATE YOUR LOOK 打造您想要的设计

62

Choose your favourite Colonia shades, select any additional inlay accessories and start planning your flooring layout.

选择您最喜欢的Colonia色调, 选择任何额外的镶嵌配件, 并开始规划您的地板布局。



YOUR COLONIA FLOOR 您的Colonia地板

76

Here we guide you through the final selection process. Order samples, find your local Colonia retailer and learn how to care for your floor after installation.

在这里, 我们将引导您完成最终的选择过程。订购样品, 找到当地的Colonia零售商, 并学习安装后如何保养地板。



WOOD ; 木材

Each design in the Colonia wood collection has been hand-selected to offer a stunning mix of classic to contemporary flooring options. Colonia木材系列的每一个设计都是手工挑选的, 可实现经典地板和现代地板的完美结合。




Cliff Top Oak 4438



★
Straight laid (Design ref: 103)



★
Straight laid (Design ref: 103)



Plank size: 184.2 x 1219.2mm

Hampton Oak 4439



Basket Weave (Design ref: 230)

WOOD



Straight laid (Design ref: 103)

WOOD



Nordic White Oak 4436



WOOD



WOOD



Winchester Oak 4452





Plank size: 152.4 x 1219.2mm

New England Elm 4433



Straight laid (Design ref: 102)



Straight laid (Design ref: 102)

WOOD



Straight laid (Design ref: 102)

WOOD



Plank size: 184.2 x 1219.2mm

Coastal Driftwood 4453




Double plank tramline (Design ref: 215)

WOOD



Straight laid with a single plank perimeter (Design ref: 520)

WOOD



Plank size: 152.4 x 914.4mm

Oxford Maple 4431




Straight laid (Design ref: 103)

WOOD



Straight laid (Design ref: 103)

WOOD




Plank size: 101.6 x 914.4mm


Mountain Alder 4401




Straight laid ships decking effect, with Natural Oak Marquetry Strip (Design ref: 201)




Straight laid (Design ref: 103)




Plank size: 101.6 x 914.4mm

Golden Koa 4403




Double plank tramline (Design ref: 215)




Double plank tramline (Design ref: 215)



English Oak 4435



★
Straight laid with a single plank perimeter, with Classic Oak Cross Grain Marquetry Strip (Design ref: 501)

WOOD



★ ★
Herringbone pattern in third length planks (Design ref: 208)

WOOD




Schoolhouse Oak 4434



Herringbone pattern in third length planks (Design ref: 208)



Straight laid with a double plank perimeter (Design ref: 503)




Plank size: 101.6 x 914.4mm


Woodland Oak 4411




Full plank herringbone (Design ref: 207)




Straight laid (Design ref: 103)



Virginia Walnut 4432



★
Straight laid ships decking effect, with Walnut Marquetry Strip (Design ref: 201)
Silvered Concrete is featured in the adjoining room.



★
Straight laid (Design ref: 103)



Fired Oak 4454



★
Straight laid ships decking effect, with Classic Oak Marquetry Strip (Design ref: 201)



★
Straight laid (Design ref: 103)



Kings Oak 4437



★
Straight laid, ships decking effect, with Natural Oak & Walnut Marquetry Strip in a triple strip design (Design ref: 202)



★
Straight laid with a double plank perimeter (Design ref: 503)




STONE ; 石材

Beauty and practicality are the central focus of the Colonia stone collection, fusing the characteristics of natural and man-made materials with the performance and functionality of a hardwearing tile.

美观和实用性是Colonia石材系列的重点, 将天然和人造材料的特性与耐磨瓷砖的性能和功能融合在一起。




★
Straight laid (Design ref: 301)



★
Straight laid (Design ref: 301)

Stencilled Concrete 4526



Tile size: 304.8 x 304.8mm



★
Straight laid (Design ref: 301)



★
Straight laid (Design ref: 301)

Silvered Concrete 4527



Tile size: 457.2 x 457.2mm



★
Straight laid, with Ice Grouting Strip (Design ref: 401)
Central section features Virginia Walnut

STONE



★
Three tiles laid together, with Graphite Grouting Strip (Design ref: 406)

Natural Limestone 4536




★
Tile size: 457.2 x 457.2mm

STONE



★
Brickwork with Ice Grouting Strip (Design ref: 404)



★ ★
Off-set keysquare with Ice Grouting Strip (Design ref: 426)



★ ★
Off-set keysquare with Ice Grouting Strip (Design ref: 426)

Balmoral Grey Slate 4534



Tile size: 304.8 x 609.6mm



★ ★
Brickwork with Classic Oak Marquetry Strip and a half tile perimeter (Design ref: 531)



★
Straight laid at 45° (Design ref: 303)


Cottage Yorkstone 4531



Tile size: 304.8 x 304.8mm



★
Straight laid (Design ref: 301)



★ ★
Random width tile design featuring full, two third & third cut tiles, with Grey Grouting Strip (Design ref: 423)

Fossil Limestone 4537



Tile size: 457.2 x 457.2mm



Brickwork (Design ref: 305)

Silvered Concrete is featured in the adjoining rooms.

STONE



Brickwork with Ice Grouting Strip (Design ref: 305)

Glazed Metalstone 4533



Tile size: 304.8 x 609.6mm

STONE




★ ★
Straight laid with bespoke perimeter, with Walnut Marquetry Strip (Design ref: 528)

STONE



★ ★
Random stone design, with Maple Marquetry Strip (Design ref: 427)

Quarried Millstone 4532



Tile size: 304.8 x 304.8mm

STONE




★
Straight laid (Design ref: 301)



★
Straight laid (Design ref: 301)

Refined Concrete 4528



Tile size: 457.2 x 457.2mm



★
Brickwork, with Grey Grouting Strip (Design ref: 404)

STONE



★ ★
Chequerboard effect featuring Balmoral Grey Slate, with Grey Grouting Strip (Design ref: 417)

Welsh Raven Slate 4535



★
Tile size: 304.8 x 609.6mm

STONE




★ ★
Half Cut tiles in brickwork, with Ice Grouting Strip (Design ref: 419)

STONE



★ ★
Half Cut tiles in brickwork, with Ice Grouting Strip (Design ref: 419)

Imperial Black Marble 4515



Tile size: 304.8 x 304.8mm

STONE



CREATE YOUR LOOK 打造您想要的外观

The following section is designed to guide you through the selection process of your new Colonia floor. Choose your favourite shades, select any additional inlay accessories and plan your layout. We have also included pointers to our websites, which contain even more interior design inspiration and information.

以下部分旨在指导您选择新的Colonia地板。选择您最喜欢的色调，选择任何额外的镶嵌配件，并规划您的布局。我们还提供了指向我们网站的指针，其中包含更多的室内设计灵感和信息。



WOOD

木材

准确的真实性是Colonia木材系列的核心, 代表了天然木材的诱惑力、独特性和不可预测性。为了复制这些材料, 产品可能包含作为其设计一部分的节点和标记变化。

尽管我们努力确保小册子印刷过程能展现出每种产品的真实颜色, 但我们还是建议您查看我们乐意免费提供的实际样品。请访问polyflorathome.com并点击“样品”链接, 或致电保丽地板样品专线+44 (0) 161 767 2551。

101.6 x 914.4mm

R10

Mountain Alder 4401

p22

Golden Koa 4403

p24

Woodland Oak 4411

p30

152.4 x 914.4mm

R10

Oxford Maple 4431

p20

Virginia Walnut 4432

p32

152.4 x 1219.2mm

R10

New England Elm 4433

p16

CREATE YOUR LOOK

The **R values** shown denote a ramp test result, which is an ex-factory measure of slip resistance. For safety flooring with sustainable wet slip resistance, refer to the Polysafe and Expona Control ranges. 所示的R值表示斜坡测试结果, 其为防滑性的出厂测量值。对于具有可持续抗湿滑性的安全地板, 请参考Polysafe 和 Expona Control系列。

152.4 x 1219.2mm (Continued)

Schoolhouse Oak 4434

p28

English Oak 4435

p26

184.2 x 1219.2mm

R10

Nordic White Oak 4436

p12

Coastal Driftwood 4453

p18

Kings Oak 4437

p36

Cliff Top Oak 4438

p08

Winchester Oak 4452

p14


Hampton Oak 4439

p10

Fired Oak 4454


p34

CREATE YOUR LOOK




STONE 石材

Colonia通过精致定制的块材系列, 反映了石材、石板和人造材料的无可置疑的美。细节和自然的错综复杂被同情地表现出来, 以确保真实性, 因此产品可能包含作为其设计的一部分的标记的变化。



CREATE YOUR LOOK

The **R values** shown denote a ramp test result, which is an ex-factory measure of slip resistance. For safety flooring with sustainable wet slip resistance, refer to the Polysafe and Expona Control ranges. 所示的R值表示斜坡测试结果, 其为防滑性的出厂测量值。对于具有可持续抗湿滑性的安全地板, 请参考Polysafe 和 Expona Control系列。



尽管我们努力确保小册子印刷过程能展现出每种产品的真实颜色, 但我们还是建议您查看我们乐意免费提供的实际样品。请访问 polyflorathome.com 并点击 “样品” 链接, 或致电保利地板样品专线+44 (0) 161 767 2551。

CREATE YOUR LOOK



INLAY ACCESSORIES 镶嵌配件

We offer an exclusive selection of inlay accessories that have been purposefully designed to enhance each shade within the Colonia collection.

我们提供独家镶嵌配件，旨在增强Colonia系列中的每种色调。



Golden Koa with
Brown **Feature Strip**



Kings Oak with
Natural Oak & Walnut **Marquetry Strip**



Welsh Raven Slate with
Grey **Grouting Strip**



English Oak with
Classic Oak **Cross Grain Marquetry Strip**



Balmoral Grey Slate with
Ice **Grouting Strip**



Glazed Metalstone with
Ice **Grouting Strip**

Grouting Strips 注浆条

Typically laid between stone tiles, grouting strips can be used as a subtle close-to-tile colour addition to your floor, or you can select a lighter or darker shade to create a contrasting effect. 注浆条通常铺设在块材之间, 可以作为地板上增加的一种微妙的接近块材的颜色, 或者您可以选择较浅或较深的色调来产生对比效果。



Marquetry Strips 镶嵌条

These strips are ideal for laying between planks to create designs such as ships decking, perimeter borders or highlighting room features like fireplaces and island units. 这些镶嵌条非常适合铺设在板条之间, 以创造船舶甲板、周边边界或突出壁炉和岛屿单元等房间特色等设计。




Design Tip 设计提示: It is worth noting that although the Grouting Strips are ideal for the stone tiles and the Marquetry Strips suit the wood planks, they can be mixed and matched between tiles and planks to further create a unique look. 值得注意的是, 尽管注浆条是石质块材的理想选择, 而镶嵌条适合板条, 但它们可以在块材和板条之间混合搭配, 以进一步创造独特的外观。

Note 注: As the Grouting, Marquetry & Cross Grain Marquetry Strips are cut from natural wood and stone designs, there will be variation in markings and decoration. 由于注浆、镶嵌细工和十字纹镶嵌细工条是从天然木材和石材设计中切割而成, 所以标记和装饰会有所不同。

CREATE YOUR LOOK

Cross Grain Marquetry Strips 十字纹镶嵌条

Running across the natural wood grain, these eye catching strips create a distinct effect when used individually or in varied combinations. 这些醒目的镶嵌条横跨天然木纹, 单独使用或组合使用时会产生独特的效果。



Feature Strips 特色条

Feature strips bring a bold statement look to both planks and tiles. Create a focal point or use as a metallic highlight for a striking luxurious finish. 特色条为板条和块材带来了大胆的外观。创建焦点或用作金属亮点, 打造引人注目的奢华外观。



CREATE YOUR LOOK


DESIGN FLOOR LAYOUTS

设计地板布局


WOOD DESIGN FLOORS

木质设计地板


These linear drawings show a selection of creative designs to help inspire you when choosing your new Colonia floor. From straight laid designs to bespoke flooring patterns, you can put your ideas into practice down to the last detail. 这些线性图展示了一系列创意设计，帮助您选择新的Colonia地板。从直铺设计到定制地板图案，您可以将您的想法付诸实践，直至最后一个细节。




Straight laid plank with strip between each length ('ships decking' effect)
Laid either formal or staggered
直铺板条，每单位长度之间有带条(“船舶甲板”效果)，
可正式铺设，也可交错铺设




Double plank tramlines
双板条电车线




Straight laid
直铺



Third length plank herringbone
第三长板条人字



Full plank perimeter with inlay strip
全板条周界线(带嵌条)



Basket weave design
篮式编织设计


CREATE YOUR LOOK

Key:	No Gap	Inlay Strip
关键:	无间距	嵌条


STONE DESIGN FLOORS

石材设计地板


As with the wood design floors, the Colonia stone designs provide the ultimate in versatility, offering exciting format, colour and texture combinations. The below illustrations provide you with a wide creative scope to help you achieve a beautiful floor installation. 与木质设计地板一样，Colonia石材设计有极致的多功能性，提供令人兴奋的规格、颜色和纹理组合。下图为您提供了广阔的创作空间，以帮助您实现美观的地板安装。




Half cut tiles in brickwork, with inlay strip
砖制半切块材，带嵌条




Off-set keysquare design with inlay strip
偏置键槽设计，带嵌条




Brickwork pattern with inlay strip
砌砖图案，带嵌条



Random stone design with inlay strip
随机石材设计，带嵌条



Straight laid
直铺



Three tiles installed together, with an inlay strip surround
三片块材安装在一起，以镶条环绕

CREATE YOUR LOOK


POLYFLOR AT HOME BLOG 保丽地板家居博客

我们的保丽地板家居博客满满的都是设计建议和有趣的室内讨论，是帮助您了解和启发最终地板选择的另一个绝佳资源。我们定期发布关于设计地板、流行室内主题和鼓舞人心的家居改造的文章，为如何更新家居提供宝贵的指导。

RECREATE THE LOOK

If there is a particular installation that you love the look of, we frequently post 'recreate the look' articles listing where you can find furniture and accessories like the ones featured in our lifestyle photography.

如果您喜欢某个特定的安装形式，我们会经常发布“再现外观”的文章，列出您可以找到的家具和配件，比如我们生活摄影中的那些。



CREATE YOUR LOOK

SEASONAL HINTS & TIPS

一年中不同的时间会带来不同的室内时尚，从圣诞派对季的准备到春季大扫除，我们为您全年带来最新的造型秘诀。



CUSTOMER INSTALLATIONS

我们欢迎广大客户给我们发送漂亮的安装照片，展示他们的新Colonia地板。这些室内设计为我们提供了源源不断的灵感，这也是我们在博客上展示了其中最佳部分的原因所在。



如需更多意见、提示和漂亮的室内摄影，请浏览我们的Pinterest、微信、微博、领英、推特、脸书和Instagram帖子。

ONLINE SUPPORT 在线支持

Polyflor have two designated websites which provide a huge amount of product and technical information.

保丽地板有两个指定网址，可提供大量产品和技术信息。



在我们的专用网站www.polyflorathome.com上，可以查看更多Colonia室内装饰以及其他令人兴奋的保丽地板系列。您可以浏览、保存和下载您最喜欢的图像，也可以随时订购免费样品！



商业客户也可以访问www.polyflor.com，了解保丽地板产品组合中所有系列的详细产品和技术信息。

CREATE YOUR LOOK

YOUR COLONIA FLOOR

您的Colonia地板

The following section is designed to guide you through the final stages of planning your project. Here you can find out more information on how to order samples, find your local Colonia retailer and how to care for your floor after installation.

以下部分旨在指导您完成项目规划的最后阶段。在这里，您可以找到更多关于如何订购样品、当地Colonia零售商以及安装后如何保养地板的信息。



ORDERING SAMPLES
订购样品

尽管我们努力确保小册子印刷过程中的最高质量,但也只能给出真实产品颜色的暂定表示法。对于最终的色调选择,我们强烈建议您查看您最喜欢的设计的原始样品,这也是我们提供免费样品服务的原因。

在购买之前,先对您选择的地板进行抽样,然后在家中试用,这也可以确保您找到您想要的确切产品。要订购任何Colonia颜色的免费样品,请访问我们的网址或拨打+44 (0) 161 767 2551专用保丽地板样品热线。

www.polyflorathome.com www.polyflor.com



ORDERING YOUR COLONIA FLOOR
订购您的COLONIA地板

通过我们广泛的代理和批发合作伙伴网络,保丽地板产品在全球范围内随处可见。当地的地板零售商或供应商,应该能够通过其现有的供应链采购您选择的Colonia产品。如果您有发现本地库存商的任何问题,请随时发送电子邮件至pahteam@polyflor.com,我们将竭诚为您服务。



提示: 当您拜访您的Colonia零售商时,做好准备总是很有用的,所以,何不起草一份您的项目大纲,为房间形状和尺寸提供一个粗略的指导。一定要带一份您最喜欢的Colonia设计的简短清单,包括色调名称、编号和任何吸引您眼球的设计地板。

General enquiries 一般查询

有关您特定项目的一般信息,请咨询您当地的Colonia提供商。如果您需要详细的技术数据,请致电保丽地板客户技术服务专线+44 (0) 161 767 1912,或发送电子邮件至tech@polyflor.com

FLOORCARE 地板保养

GUARANTEE 保证

Colonia系列的每一款产品都配有聚氨酯增强材料, 可防止日常磨损, 确保地板的长期性能。我们希望您的新Colonia地板在未来的许多年里成为一个设计和功能特色, 因此, 我们在下面列出了以下准则:

Do:

- 在入口处安装隔离垫, 以吸收砂砾和水分。(请注意, 某些橡胶垫可能会使地板变色)、
- 确保你的家具安装了必要的保护垫, 以防止划伤。
- 在重型家具下使用保护杯, 以防止出现压痕。
- 尽快清除溢出物, 以减少弄脏和造成滑倒危险的风险。
- 保养地板时, 请务必使用清洁的设备。
- 定期修剪宠物的爪子, 以免出现细微的划痕。

Don't:

- 使用研磨液或金属擦洗垫, 以免损坏地板。
- 用溶剂、腐蚀性清洁剂、洗涤剂、肥皂粉、漂白剂、家具抛光剂、石油基产品、松脂凝胶、去污剂或高颜色产品清洁地板。该产品可能会使地板打滑或造成永久性损坏。
- 将无保护脚的家具从地板表面拖过。

安装新地板后的初始清洁:

- 安装完成后, 至少24小时内避免在地板上行走。
- 进行清扫或吸尘, 以防止松散的灰尘或砂砾擦伤地板。
- 打磨地板有助于防止轻微的表面划痕, 并提供进一步的保护。

日常清洁:

- 清扫地板或进行吸尘, 清除松散的灰尘、砂砾或尘埃。
- 使用干净的拖把和中性清洁液定期清洁地板。
- 用拖把均匀地拖地。
- 将多余的液体收集到拖把桶中。
- 用清水冲洗地板, 并让地板自然风干。



Colonia对日常污垢、粉尘和污物有抵抗力。



容易清理: 碎屑可以简单地被扫走。



防滑、防水。



保丽的产品, “家庭地板保养套装” 可通过零售商订购



7 Year Product Guarantee 7年产品保证

Colonia豪华乙烯基块材系列的开发, 可满足该类产品的最高技术规格。该产品非常适合家庭的各个区域, 确保高性能和最佳风格。与许多其他地板相比, Colonia在正常情况下能够抵抗家庭污渍, 不会开裂、碎裂或碎裂。Colonia的制造商相信, 高质量的产品将提供多年有价值的服务。从该系列中购买的所有产品在推荐的环境下保证7年内不会出现正常磨损, 前提是其已按照制造商的说明正确安装和维护。根据当地的地板批发商或保丽地板有限公司的要求, 可以提供完整的保证条款和条件。

BEAUTIFULLY SUSTAINABLE 好看又环保

美观、时尚、可持续；Colonia可满足所有的要求，并实现小尺寸设计。从使用安全、无毒和负责任的可持续材料，到低维护制度（使用更少的水、能源和化学品），对环境和口袋更有利。Colonia完全可回收：边角料可以回收用于制作新的保丽地板，而用过的活动地板可以重新用于交通锥的制作。



Good to Know 不可不知

保丽地板已通过ISO 14001、ISO 9001和SA 8000认证，可确保最佳的环境、质量和道德表现。


此外，保丽地板是唯一获得BES 6001负责任采购认证的地板覆盖物制造商。
Colonia获得了环境认证，并因其性能和对环境的最小影响获得了BRE（建筑研究机构）的评级。
Colonia豪华乙烯基块材含有40%的回收成分，76%的天然成分，并且不含邻苯二甲酸酯。
我们的包装也采用回收材料制作，可以回收。

整个系列的挥发性有机化合物（VOC）排放量非常低，室内空气质量和舒适度更高。



For more information on our pledge to sustainability and our ongoing performance, visit www.polyflor.com/sustainability
有关我们对可持续发展的承诺和我们的持续绩效的更多信息，请访问www.polyflor.com/sustainability

TECHNICAL DETAILS 技术细节



Product construction 产品结构

- 1 **The Polyurethane Reinforcement (PUR)**
聚氨酯补强材料
得益于工厂应用的聚氨酯补强材料（PUR），客户可减少地板保养工作。
- 2 **The Wear Layer**
耐磨层
这种透明、极其致密的层非常耐磨，可保护产品的装饰效果。这使得表面压花可产生高度真实的效果。
- 3 **The Decoration Layer**
装饰层
通过广泛的趋势研究和经验丰富的产品设计师的调试，每种设计均系为Colonia专门开发。
- 4 **The Stabilisation Layer**
稳定层
通过尽可能降低周围物理特性（如温度波动）的影响，来提高尺寸稳定性。
- 5 **The Load-Bearing Layer**
承重层
Colonia长使用寿命和高性能的基础。

Colonia是采用块材和板条等形式的顶级乙烯基地板。每一层都通过创新技术热压而成，以获得最佳性能。

TECHNICAL DETAILS
技术细节

下表提供了技术详细信息, 如果您需要任何进一步的质料, 请致电
保丽地板客户技术服务专线+44 (0) 161 767 1912, 或发送电子
邮件至tech@polyflor.com

Polyflor at home  
www.polyflorathome.com +44 (0)161 767 2551

CHARACTERISTICS 特点	COLONIA
Type of floor covering 地板覆盖物的类型 EN 649 / EN ISO 10582	Heterogeneous, PVC 异质聚氯乙烯
Reinforcement 补强	Polyurethane (PUR) 聚氨酯
Total weight 总重量 EN 430 / EN ISO 23997	3,680 g/mm²
Performance classification 绩效分类 EN 685 / EN ISO 10582	22
Gauge 厚度 EN 428 / EN ISO 24346	2.0mm
Wear layer thickness 耐磨层厚度 EN 428 / EN ISO 24340	0.2mm
Plank size EN 427 / EN ISO 24342 and packaging details 板条尺寸和包装细节	36 @ 101.6 x 914.4mm = 3.34m² 24 @ 152.4 x 914.4mm = 3.34m² 18 @ 152.4 x 1219.2mm = 3.34m² 15 @ 184.2 x 1219.2mm = 3.37m²
Tile size EN 427 / EN ISO 24342 and packaging details 块材尺寸和包装细节	36 @ 304.8 x 304.8mm = 3.34m² 18 @ 304.8 x 609.6mm = 3.34m² 16 @ 457.2 x 457.2mm = 3.34m²
Residual indentation 残余压痕 EN 433 / EN ISO 24343-1	≤ 0.05mm
Abrasion resistance 耐磨性 EN 649 / EN ISO 10582	Group T T组 Type 1 类型1

CHARACTERISTICS 特点	COLONIA
Dimensional stability 尺寸稳定性 EN434 / EN ISO 23999	≤ 0.1%
Colour fastness to artificial light* 耐人造光色牢度*	≥ 6 ISO 105-B02 method 3
Behaviour to fire 防火性能 EN 13501-1	Bfl - S1
Slip resistance** 防滑性**	EN 13893 Class DS (Dry condition; 干燥条件) DIN 51130 R10 AS 4586 R10 For safety flooring with sustainable wet slip resistance, refer to Expona Control or the Polysafe ranges 对于具有可持续抗湿滑性的安全地板, 请参考Expona Control或Polysafe系列
VOC emissions 挥发性有机化合物排放	Eurofins - Indoor Air Comfort Gold AgBB - Very low emissions FloorScore - Certified product Finnish M1 Classification - Pass
BES 6001 Responsible Sourcing BES 6001 负责任采购	Very Good 优良
Chemical resistance 抗化学物质 EN 423 / EN ISO 26987	***
Castor chair suitability 蓖麻椅适用性 EN 425 / EN ISO 4918	Suitable 适宜
Underfloor heating suitability 地板下供暖适宜性	Suitable, max. 27°C 适宜, 最高可达27°C

- * We recommend that adequate UV protection be taken against products being installed in direct sunlight as fading may occur.
我们建议对安装在阳光直射下的产品采取足够的紫外线防护措施, 以防褪色。
- ** For clarification regarding slip resistance, consult Polyflor.
有关防滑性的说明, 请咨询保丽地板。
- *** Resistant depending on concentration and time of exposure. In case of increased impact of oils, grease, acids, alkalis and other aggressive chemicals, please contact us.
耐受度取决于浓度和暴露时间。如果油、油脂、酸、碱和其他腐蚀性化学品的影响增加, 请联系我们。



Hong Kong
Tel: 852-28650101
E-mail: info@polyflor.com.hk

Guangzhou
Tel: 852-28650101
E-mail: info@polyflor.com.hk

Shanghai
Tel: 852-28650101
E-mail: info@polyflor.com.hk

Malaysia
E-mail: info@polyflor.com.my

Indonesia
E-mail: info@polyflor.co.id



COLONIA™

LUXURY VINYL TILE COLLECTION

POLYFLOR™ INTERNATIONAL

Australia

Polyflor Australia
Tel: +61 3 9215 4400
Tel: 1800 777 425
E-mail: sales@polyflor.com.au

Canada

Polyflor Canada Inc.
Tel: +1 905 364 3000
E-mail: sales@polyflor.ca

China

Polyflor Hong Kong
Tel: +(852) 2865 0101
E-mail: info@polyflor.com.hk

France

James Halstead France SAS
Tel: +33 (0) 8 20 20 32 11
E-mail: info@jhfrance.fr

Germany

objectflor Art und Design Belags GmbH
Tel: +49 (0) 2236 966 330
E-mail: info@objectflor.de

India

Polyflor India Pvt Ltd
Tel: +91 22 4023 2485
E-mail: info@polyflor.co.in

Ireland

Polyflor Ireland
Tel: +353 (1) 864 9304
E-mail: salesireland@polyflor.com

Middle East

Polyflor FZE
Tel: +971 50 4068114
E-mail: info@polyflorfze.ae

New Zealand

Polyflor New Zealand
Tel: +64 9 269 1111
Tél: 0800 765 935
E-mail: sales@polyflor.co.nz

Norway

Polyflor Nordic
Tel: +47 23 00 84 00
E-mail: firmapost@polyflor.no

Poland

Polflor Sp. Z o.o.
Tel: +48 (0) 61 820 3155
E-mail: polyflor@polflor.com.pl

South Africa

Poly Sales Africa (Pty.) Ltd
Tel: +27 11 609 3500
E-mail: info@polyflor.co.za

Sweden

FalckDesign AB
Tel: +46 (0) 300 15820
E-mail: info@falckdesign.com

www.polyflorathome.com

www.polyflor.com



POLYFLOR™ HEAD OFFICE

POLYFLOR LTD. PO BOX 3 RADCLIFFE NEW ROAD WHITEFIELD MANCHESTER M45 7NR UK

UK SALES DIRECT: +44 (0)161 767 1122

UK SAMPLE REQUESTS: +44 (0)161 767 2551

EXPORT SALES DIRECT: +44 (0)161 767 1913

UK FAX:

+44 (0)161 767 1128

EXPORT FAX:

+44 (0)161 767 1166

TECHNICAL SUPPORT: +44 (0)161 767 1912

RECEPTION: +44 (0)161 767 1111

E-MAIL: PATEAM@POLYFLOR.COM

WEBSITE: WWW.POLYFLOR.COM

POLYFLOR™
COVERING THE WORLD

James Halstead™
FLOORING